

RIPET

MODEL R80

ripet.it

RIPET

RIPET R80

From the RIPET line, the compact reverse vending machine designed to optimize space, efficiency, and sustainability.

The RVM that offers all the features of a professional reverse vending machine while taking up less space than a standard European pallet.

OVERVIEW

- RVM designed for PET bottles and aluminium cans
- Compact footprint, high performance, maximum flexibility



KEY FEATURES

COMPACT DESIGN

- Footprint: **0,64 m²** (600 x 800 mm)
- Takes up less space than most traditional RVM units
- Ideal for retail locations with limited floor space
- Maximizes the use of retail space
- Simple installation without significant structural modifications

IP67 RATING

Thanks to its **IP67 certification**, the RIPET R80 is designed to operate reliably year-round, even in environments exposed to dust, humidity, and harsh weather conditions.

INTUITIVE INTERFACE

REMOTE MONITORING AND DIAGNOSTICS

COMPLIANT WITH UK DRS REQUIREMENTS

APPLICATIONS

- Gas stations
- Convenience store
- Universities
- Hotels and hospitality
- Transportation hubs
- Offices and workplaces




CAPACITY AND SPECIFICATIONS

- **600** compacted PET **bottles**
- **1.250** compacted **cans**
- Power supply **230V AC**
- Power consumption: **50W (idle) / max 1,5kW**
- Temperature: **-20°C / +40°C**

BENEFITS

- Supports ESG goals
- Reduces operational burden
- Quick ROI
- Sturdy and durable construction
- Made from **100%** recycled material

MOD. R80



TECHNICAL SPECIFICATIONS

Width	80 cm
Height	180 cm
Depth	80 cm
Total Weight	250 kg
Electrical Connection	single-phase
Supply Voltage	230 V
Power Consumption	2,2 kW
Data Connection	VPN modem
Construction Material	IP67

CONTACTS

Ripet srl

Frazione Foresto, 64
12030 Cavallermaggiore (CN)

+39 0172 188 70 30

info@ripet.it

ripet.it

ROPET